SYM-50 Bespoke shown with Birch Style Logs

SYMMETRY SERIES

ELECTRIC FIREPLACES

Amantii

SYMMETRY BESPOKE

DESIGN INTEGRITY, QUALITY CRAFTSMANSHIP & ATTENTION TO DETAIL

We have expanded on our amazing Symmetry Series with the addition of the Bespoke line. Symmetry Bespoke represents a new generation of Amantii Electric Fireplaces.

Symmetry Bespoke offers versatility to integrate effortlessly in commercial and residential settings ranging from homes, offices, remodelling or new construction. The superior construction ensures a long lasting unit and design integrity at it's core.

Symmetry Bespoke is our most complete fireplace including WIFI integrated options and patented technology.

KEY FEATURES

Install option
Can be fully recessed
Can be semi-flush mounted* within a 5 x 10 cm wall. **SYM-XS surround required*

Flame Styles
Two flame style patterns - standard and more traditional - you choose!

Flame presentation
Choose from combinations of yellow, red and orange colored flames

Heater & Fan
Flame operates with or without heat, perfect for zone heating

Ambient Canopy Lighting
Choose from 11 colors of light to illuminate decorative media from above

Digital Touch Pad
For convenient control of features with temperature display

- Patented Screen Remote Control
- Clear Reduced Trim Kit
- Masonry Finish to Trim Option
- 1500W 5118 BTU, heat up 400 sq ft room
- 50000 Hours Lifetime LED Light Source
- Smart Room Temperature Control 59°F–82°F or 15°C–28°C
- Improved flame effect
- Adjustable Flame Brightness
- Adjustable Flame Speed
- Adjustable Ember Bed Colors with possibility to auto mix thousands of colors
- Timer: Regular Timer (1–8 hours) and 7-Day Pre-Set Timer
- Flame and Ember Bed Glow can be on seperately
- The most reliable components in industry
- Whisper quiet heater/fan – "the most quiet fireplace in industry"
- Improved 11 Color Downlight
- 5 year warranty

IDEAL APPLICATIONS

- Residential spaces
- Commercial spaces
- Restaurants
- New construction or renovations
- Outdoor use; refer to installation manual

TECHNICAL SPECS

Volts	120
Amps	12.5 A
Watts	1500 max
Heater On	1500 watts high, 750 watts low
Heater Off	22 watts
Rotor Motor	1 at 5 watts
BTU	5118

Hidden venting and no grills. The heater is located at the top of the unit allowing heat to cascade down in front of the glass.

SYM-34-BESPOKE
Height, Width, Depth: 15-5/8 x 32-3/8 x 5-1/2
Glass Viewing Opening: 13-1/8 x 30-5/8
Surround Size: 16-7/8 x 34-1/2
Shipping Weight: 57 lbs Glass Included
Media Shown: Clear Ember Glass

SYM-42-BESPOKE
Height, Width, Depth: 15-5/8 x 42-1/4 x 5-1/2
Glass Viewing Opening: 13-1/8 x 40-5/8
Surround Size: 16-7/8 x 44-1/4
Shipping Weight: 70.50 lbs Glass Included
Media Shown: Included Glass Rocks

INCLUDED ACCESSORIES

See page 12 for more; and page 13 for flame colors and other details.

AND CHOICE OF ONE MEDIA KIT:

DESIGN-MEDIA-BIRCH-10PCE

ICE MEDIA

FI-109-Diamond

EMBER
Clear, Suntea, Harvest Moon



SYM-50-BESPOKE
Height, Width, Depth: 15-5/8 x 50-1/4 x 5-1/2
Glass Viewing Opening: 13-1/8 x 48-1/2
Surround Size: 16-7/8 x 52-1/4
Shipping Weight: 81.60 lbs Glass Included
Media Shown: Included Birch Log Set



SYM-60 Bespoke shown with Birch Style Logs



SYM-60-BESPOKE
Height, Width, Depth: 15-5/8 x 60-1/4 x 5-1/2
Glass Viewing Opening: 13-1/8 x 58-3/8
Surround Size: 16-7/8 x 62-1/4
Shipping Weight: 68.30 lbs Glass Included
Media Shown: Glass Rocks

SYM-42 Bespoke shown with Birch Style Logs

SYM-34 Bespoke shown with Glass Rocks

SYMMETRY XT

The SYMMETRY XT by Amantii is taller than the SYMMETRY model and boasts our largest glass viewing area yet. Unencumbered by unsightly venting, the SYMMETRY XT features a stunning true clean face display. New to the SYMMETRY XT are two flame patterns - choose from Amantii's traditional diffused flame appearance or a new realistic flame style. The SYM-74 XT, SYM-88 XT and SYM-100 XT have dual heaters built-in, for double the heat ouput. The FIRE & ICE® flame presentation doesn't disappoint with yellow, orange, blue, violet & rose colored flames. Please see pages 14 and 15 for more details. Standardized unit sizing means hassle free installation at any stage, inside or outside. The SYM-74 XT, 88-XT and 100-XT all have the option of being hooked up to 240 Volt; which increases heat: 240V, 10A, 2400W, 8191 BTU.

KEY FEATURES

Viewing
Glass viewing area is 45 cm tall with no unsightly venting visible

Heater & Fan
Flame operates with or without heat, perfect for zone heating

Flame Styles
Two flame style patterns - standard and more traditional - you choose!

Ambient Canopy Lighting
Choose from 13 colors of light to illuminate decorative media from above

FIRE & ICE® Flame presentation
Choose from combinations of yellow, orange, blue, violet & rose colored flames

Touch Pad
For convenient control of features with temperature display.

IDEAL APPLICATIONS

- Residential spaces
- Commercial spaces
- Restaurants
- New construction or renovations
- Outdoor use; refer to installation manual

TECHNICAL SPECS

Volts	120
Amps	13
Watts	1200 max
Heater On	1200 watts high, 600 watts low
Heater Off	22 watts
Rotor Motor	1 at 5 watts
BTU	4500

Hidden venting and no grills. The heater is located at the top of the unit allowing heat to cascade down in front of the glass.

INCLUDED ACCESSORIES

See pages 14 and 15 for more; and page 13 for flame colors and other details.

AND CHOICE OF ONE MEDIA KIT:

DESIGN-MEDIA-DRIFT-15PCE
NEW! Now includes an additional 4 mini logs (Not Shown)

ICE MEDIA

FI-109-Diamond

DESIGN-MEDIA-RUSTIC-14PCE

DESIGN-MEDIA-BIRCH-15PCE



SYM-74 XT
Height, Width, Depth: 51 x 188.5 x 29.7 cm
Glass Viewing Opening: 44.6 x 184 cm
Surround Size: 54.2 x 193.8 cm
Shipping Weight: 72.10 kg Glass Included
Media Shown: Drift Wood Kit

SYM-34 XT
Height, Width, Depth: 51 x 82.3 x 29.7 cm
Glass Viewing Opening: 44.6 x 77.7 cm
Surround Size: 54.2 x 87.5 cm
Shipping Weight: 34.80 kg Glass Included
Media Shown: ICE Media

SYM-42 XT
Height, Width, Depth: 51 x 107.2 x 29.7 cm
Glass Viewing Opening: 44.6 x 102.7 cm
Surround Size: 54.2 x 112.5 cm
Shipping Weight: 43.00 kg Glass Included
Media Shown: Drift Wood Kit

SYM-50 XT
Height, Width, Depth: 51 x 127.6 x 29.7 cm
Glass Viewing Opening: 44.6 x 123 cm
Surround Size: 54.2 x 132.8 cm
Shipping Weight: 50.00 kg Glass Included
Media Shown: Rustic Log Kit

SYM-60 XT
Height, Width, Depth: 51 x 153 x 29.7 cm
Glass Viewing Opening: 44.6 x 148.4 cm
Surround Size: 54.2 x 158.2 cm
Shipping Weight: 58.60 kg Glass Included
Media Shown: Birch Log Kit

SYM-88 XT
Height, Width, Depth: 51 x 224.1 x 29.7 cm
Glass Viewing Opening: 44.6 x 219.5 cm
Surround Size: 54.2 x 229.3 cm
Shipping Weight: 84.00 kg Glass Included
Media Shown: Rustic Log Kit

SYM-100 XT
Height, Width, Depth: 51 x 254.6 x 29.7 cm
Glass Viewing Opening: 44.6 x 250 cm
Surround Size: 54.2 x 259.8 cm
Shipping Weight: 94.00 kg Glass Included
Media Shown: ICE Media

SYM-60 XT shown with Birch Style Logs

SYM-88 XT shown with Glass Rocks

SYM-74 XT shown with Glass Rocks

SYM-50 XT shown with Birch Style Logs

SYMMETRY

The SYMMETRY series offers a choice of two flame patterns, Amantii's traditional diffused flame appearance and a new realistic flame style. The SYMMETRY features the multi-color FIRE & ICE® flame presentation and boasts a true clean face display unencumbered by unsightly heat vents. Ambient canopy lighting illuminates decorative media adding another element of dimension. The slim design allows for versatile applications, inside or outside, including semi-flush mount within 5 x 10 cm wall and the standardized sizing allows for hassle free installation at any stage of your project. Please see pages 13 for more details.

KEY FEATURES

Install option
Can be fully recessed
Can be semi-flush mounted* within a 5 x 10 cm wall. **SYM-XS surround required*

Flame Styles
Two flame style patterns - standard and more traditional - you choose!

FIRE & ICE ® Flame presentation
Choose from combinations of yellow, orange, blue, violet & rose colored flames

Heater & Fan
Flame operates with or without heat, perfect for zone heating

Ambient Canopy Lighting
Choose from 13 colors of light to illuminate decorative media from above

Touch Pad
For convenient control of features with temperature display

IDEAL APPLICATIONS

- Residential spaces
- Commercial spaces
- Restaurants
- New construction or renovations
- Outdoor use; refer to installation manual

TECHNICAL SPECS

Volts	240
Amps	10
Watts	1200 max
Heater On	1200 watts high, 600 watts low
Heater Off	22 watts
Rotor Motor	1 at 5 watts
BTU	4500

Hidden venting and no grills. The heater is located at the top of the unit allowing heat to cascade down in front of the glass.

INCLUDED ACCESSORIES



OPTIONAL SURROUNDS

For SYMMETRY fireplaces in 50", 60" & 74" models only. See pages 12 and 13 for more details.

Dark Grey

Bronze



SYM-88
Height, Width, Depth: 39.6 x 224.1 x 14 cm
Glass Viewing Opening: 33.2 x 219.5 cm
Surround Size: 42.8 x 229.3 cm
Shipping Weight: 63.00 kg Glass Included
Media Shown: Included Log Set

SYM-34
Height, Width, Depth: 39.6 x 82.3 x 14 cm
Glass Viewing Opening: 33.2 x 77.7 cm
Surround Size: 42.8 x 87.5 cm
Shipping Weight: 25.90 kg Glass Included
Media Shown: Clear Glass

SYM-42
Height, Width, Depth: 39.6 x 107.2 x 14 cm
Glass Viewing Opening: 33.2 x 102.7 cm
Surround Size: 42.8 x 112.5 cm
Shipping Weight: 32.00 kg Glass Included
Media Shown: Included Log Set

SYM-50
Height, Width, Depth: 39.6 x 127.05 x 14 cm
Glass Viewing Opening: 33.2 x 123.1 cm
Surround Size: 42.8 x 132.7 cm
Shipping Weight: 37.00 kg Glass Included
Media Shown: Included Log Set

SYM-60
Height, Width, Depth: 39.6 x 153 x 14 cm
Glass Viewing Opening: 33.2 x 148.4 cm
Surround Size: 42.8 x 158.2 cm
Shipping Weight: 43.00 kg Glass Included
Media Shown: Included Log Set

SYM-74
Height, Width, Depth: 39.6 x 188.5 x 14 cm
Glass Viewing Opening: 33.2 x 184 cm
Surround Size: 42.8 x 193.8 cm
Shipping Weight: 52.00 kg Glass Included
Media Shown: Clear Glass

SYM-100
Height, Width, Depth: 39.6 x 254.6 x 14 cm
Glass Viewing Opening: 33.2 x 250 cm
Surround Size: 42.8 x 259.8 cm
Shipping Weight: 71.00 kg Glass Included
Media Shown: Clear Glass

SYMMETRY BESPOKE FEATURES

TWO FLAME STYLE PATTERNS

The SYMMETRY fireplace arrives from the factory with a NEW realistic style flame pattern. Enjoy our FIRE & ICE® flame presentation in a new style that mimics real fire like never before. If you prefer Amantii's traditional diffused flame appearance, simply remove the included stencil.

Birch Log *with* real flame stencil
Orange flame

Ember Media *without* real flame stencil
Orange flame

Ember Media *with* real flame stencil
Red flame

Birch Log *without* real flame stencil
Orange flame

Rustic Log *with* real flame stencil
Yellow flame

Glass Chunks *without* real flame stencil
Yellow flame

Ember Media *with* real flame stencil
Rose flame

Ember Media *without* real flame stencil
Rose flame

AMBIENT CANOPY LIGHTING

Add more dimension and excitement to your SYMMETRY electric fireplace by illuminating Amantii's decorative media kits (or your own) from above. The ambient canopy lighting is located in the upper part of the fireplace and with the click of a button, choose from 13 colors of light.

Lighting On

Lighting Off

TOUCH PAD

Convenient touch pad with temperature indicator display.

CLEAN FACE
NO UNSIGHTLY VENTING

Unlike models made by other manufacturers, SYMMETRY models are unencumbered by unsightly venting. Venting and grills take away from the aesthetics of a fireplace and the SYMMETRY series have some of the biggest glass viewing areas in the industry. You'll see more of what is important - a beautiful, warm and comforting flame display.

HASSLE FREE INSTALLATION

The SYMMETRY has been made with standardized unit sizing. This means that the opening for the fireplace can be made at any stage of a build, the appliance can be easily installed and finished with the included surround at the end of a project. The surround beautifully completes the fireplace without the need for finicky or costly finishing.

SYMMETRY OPTIONS

OPTIONAL SURROUNDS

Add a designer touch to your space with a beautifully finished Dark Grey or Bronze colored surround. These decorative surrounds will compliment either SYMMETRY fireplace in 50", 60" & 74" models only. The surrounds will arrive in a separate package.

Dark Grey

Bronze

FOR SEMI-FLUSH MOUNT INSTALLATION

For rooms where space may be at a premium, SYMMETRY models can also be partially recessed within a 5 x 10 cm wall. The unit will sit 5 cm outside of the wall with 10 cm of the unit mounted inside.

- This install option requires the Semi-Flush Mount Surround (SYM-XS) to finish the look of the fireplace.
- The Semi-Flush Mount Surround has a black finish and has a depth of 5.7 cm
- The Semi-Flush Mount Surround must be purchased separately. Ships in a separate box.
- **This application is only applicable to the SYMMETRY models. XT models must be fully recessed.**

SYMMETRY XT FEATURES

TWO FLAME STYLE PATTERNS

The SYMMETRY fireplace arrives from the factory with a NEW realistic style flame pattern. Enjoy our FIRE & ICE® flame presentation in a new style that mimics real fire like never before. If you prefer Amantii's traditional diffused flame appearance, simply remove the included stencil.

Birch Logs *with* real flame stencil
Yellow flame with a little Orange
Ambient Canopy Lighting: On

Birch Logs *without* real flame stencil
Yellow flame with a little Orange
Ambient Canopy Lighting: On

Rustic Logs *with* real flame stencil
All Yellow
Ambient Canopy Lighting: On

Rustic Logs *without* real flame stencil
All Yellow
Ambient Canopy Lighting: On

Drift Logs *with* real flame stencil
All Yellow All Orange flame
Ambient Canopy Lighting: On

Drift Logs *without* real flame stencil
All Yellow All Orange flame
Ambient Canopy Lighting: On

Glass Rocks *with* Flame Mold
Orange flame with a little Red
Ambient Canopy Lighting: On



Glass Rocks *without* real flame stencil
Orange flame with a little Red
Ambient Canopy Lighting: Off



Glass Rocks *with* real flame stencil
Rose flame
Ambient Canopy Lighting: On



Glass Rocks *without* real flame stencil
Rose flame
Ambient Canopy Lighting: Off

Ember Rocks *with* Flame Mold
Yellow flame
Ambient Canopy Lighting: On

Ember Rocks *without* real flame stencil
Yellow flame
Ambient Canopy Lighting: On

TOUCH PAD

Convenient touch pad with temperature indicator display.

AMBIENT CANOPY LIGHTING

Add more dimension and excitement to your SYMMETRY electric fireplace by illuminating Amantii's decorative media kits (or your own) from above. The ambient canopy lighting is located in the upper part of the fireplace and with the click of a button, choose from 13 colors of light.

Lighting On

Lighting Off



Lighting On

TALL VIEWING AREA

SYM-50XT

SYM-50

EXTRA DEEP TRAY

At 30 cm in depth the extra deep tray accommodates more decorative media than any other unit on the market.

DUAL HEATERS ON SELECT XT MODELS

The SYM-72 XT, SYM-88 XT and SYM-100 XT have dual heaters built-in, for double the heat ouput.